



DVM


Technical Data Book

DVM S Indoor Units

SAMSUNG

1 Nomenclature

1-1. Nomenclature



① Classification

AM	DVM
----	-----

② Capacity

kBtu/h (3digits)

③ Version

E	2012
F	2013
G	2014

④ Product Type

X	Outdoor Unit
N	Indoor Unit

⑤ Product Notation

1	1 way cassette
2	2 way cassette
N	4 way cassette (interior)
4	4 way cassette
L	LSP Duct (Slim Duct)
M	MSP Duct
H	HSP Duct
C	Ceiling
J	Console
F	Floor Standing
T	NEO FORTE
Q	NEO FORTE (EEV)
B	HYDRO UNIT (Floor Standing)
K	FLAT(CEILING TYPE) VTL

⑥ Feature

D	DELUXE
F	FLAGSHIP
G (EHS)	CASCADE (EEV)

⑦ Rating Voltage

C	1Ø, 208~230V, 60Hz
---	--------------------

⑧ Mode

H	Heat Pump (R410a)
R	Heat Recovery (R410a)

7 Ceiling

7-1. Specifications

1) Technical specifications

Model				AM018FNCDCH/AA	AM024FNCDCH/AA
Power Supply		Ø, V, Hz		1,208-230,60	1,208-230,60
Mode				HP/HR	HP/HR
Performance	Capacity (Nominal)	Cooling ^{*1)}	Btu/h	18,000	24,000
			US RT	1.50	2.00
		Heating ^{*1)}	Btu/h	20,000	27,000
			US RT	1.67	2.25
Power	Power Input (Nominal)	Cooling ^{*1)}	W	72.00	80.00
				Heating ^{*1)}	72.00
	Current Input (Nominal)	Cooling ^{*1)}	A	0.42	0.48
				Heating ^{*1)}	0.42
Fan	Motor	Type	-	Sirocco Fan	Sirocco Fan
		Output x n	W	25 x 1	35 x 1
	Air Flow Rate	H/M/L (UL)	CFM	494.42/459.11/423.79	635.69/582.71/529.74
	External Pressure	Min / Std / Max	Pa	-	-
Piping Connections	Liquid Pipe	Ø, mm	6.35	9.52	
		Ø, inch	1/4"	3/8"	
	Gas Pipe	Ø, mm	12.70	15.88	
		Ø, inch	1/2"	5/8"	
Drain Pipe	Ø, mm	ID 18 HOSE	ID 18 HOSE		
Refrigerant	Type	-	R410A	R410A	
	Control Method	-	EEV NOT INCLUDED	EEV NOT INCLUDED	
Sound	Sound Pressure ^{*2)}	High / Mid / Low	dBA	40.0/37.0/34.0	44.0/42.0/40.0
Dimensions	Net Weight	kg	21.00	21.00	
		lbs	46.30	46.30	
	Shipping Weight	kg	25.50	25.50	
		lbs	56.22	56.22	
	Net Dimensions (WxHxD)	mm	1000 x 650 x 200	1000 x 650 x 200	
		inch	39.37 x 25.59 x 7.87	39.37 x 25.59 x 7.87	
	Shipping Dimensions (WxHxD)	mm	1080 x 730 x 300	1080 x 730 x 300	
		inch	42.52 x 28.74 x 11.81	42.52 x 28.74 x 11.81	
Panel Size	Panel model	model name	-	-	
	Panel Net Weight	kg	-	-	
		lbs	-	-	
	Shipping Weight	kg	-	-	
		lbs	-	-	
	Net Dimensions (WxHxD)	mm	-	-	
		inch	-	-	
	Shipping Dimensions (WxHxD)	mm	-	-	
inch		-	-		
Additional Accessories	Drain pump	Drain pump	model name	-	
		Max. lifting Height / Displacement	mm/liter/h	-	
	Air Filter	-	Long life filter	Long life filter	

1) Nominal Capacity are based on (Equivalent refrigerant piping : 25ft , Level differences : 0ft);

- Cooling : Indoor temperature : 80°F DB, 67°F WB / Outdoor temperature : 95°F DB, 75°F WB

- Heating : Indoor temperature : 70°F DB, 60°F WB / Outdoor temperature : 47°F DB, 43°F WB


2) Sound pressure was acquired in a dead room. Thus actual noise level may be different depending on the installation conditions.

3) Specifications are subject to change without prior notice for product improvement.

7 Ceiling


7-3. Dimensional drawing

Unit: mm(inch)



No.	Name	Description	
		18.0 MBH	24.0 MBH
①	Liquid pipe connection	Ø6.35(1/4") Flare	Ø9.52(3/8") Flare
②	Gas pipe connection	Ø12.70(1/2") Flare	Ø15.88(5/8") Flare
③	Drain pipe connection	ID18 Hose/ID11/16" Hose	
④	Conduit for power supply & communication wiring	-	
⑤	Air inlet grille	-	
⑥	Air outlet louver	-	


7-4. Electrical wiring diagram



7 Ceiling

7-5. Sound pressure level

1) Operation sound level



Unit : dB(A)


Model	High	Low
AM018FNCDCDCH/AA	40	34
AM024FNCDCDCH/AA	44	40

Note


- ◆ These operation values were obtained in an anechoic room. Sound pressure level will vary depending on a range of factors such as the construction of the particular room where the equipment is installed.
- ◆ Operation sound level may differ depending on operation and ambient conditions.

2) NC curves

(1) AM018FNCDCDCH/AA



(2) AM024FNCDCDCH/AA



SAMSUNG

2017.04
DBNA-13024H(A)

SAMSUNG

**Samsung Electronics Co., LTD.
Airconditioner Marketing Group/SE**

Head Office (Suwon Korea) 416, Maetan-3Dong, Yeongtong-Gu, Suwon City, Gyeonggi-Do, Korea 443-742
TEL : 82-31-200-4549 Website : www.dvmsystem.com Email: airconditioner@samsung.com
* Images and data in this book may subject to change without prior notice.